







PARK POSITION



17	ARM POSITION SWITCH EEx ia IIC T6	31930401	1	0.00	CARB.STEEL
16	PARK SWITCH Ex-ia INDUCTIVE SENSOR	31610301	1	2.99	AISI304
15	PARK POSITION LOCK	31950103-901	1	12.46	CARBON STEEL
14	NAMEPLATE	2299-0000064	1	0.019	ALUMINIUM
13	C.S. PIPE CLAMPS	3014-1006	5	0.19	C.S.
12	MOUNTING KIT	23053201	1	1.10	AISI304
11	PILLOW BLOCK	0423-1000030B	1	1.93	STAINLESS STEEL
10	2" PISTON SUPPORT	F879-0000004	1	4.91	AISI304
9	COMPRESSION SPRING BALANCE PISTON	2000-085	1	19.774	C.S.
8	1/2" S.S.316 FLEXIBLE HOSE L=6m	1802-8401001	1	0.30	AISI316L
7	BALL VALVE 1/2" NPT THREADED	31963102	1	0.412	AISI316+PTFE
6	ELBOW M/F 1/2" AISI 316 -NPT THREADED	0159-3000303	1	0.37	ASTM A182 F316L
5	HEXAGONAL NIPPLE 1/2" AISI316	0159-3000203	1	0.093	ASTM A182 F316L
4	DN 50 SS316 BUTTERFLY VALVE PTFE LINED	0472-9008400	1	3	AISI316+PTFE LINED
3	ASSEMBLY KIT - 3" SWIVEL, VITON SEALS	2310-13V	4	4.22	VITON
2	KIT FOR FLANGE 2" ANSI150	23050703-T	1	0.84	AISI304
1	2" ARM WELD+PAINT RIGHT HAND	18021903D-01A	1	71.74	AISI316L
Pos	Description	Code	Q.tà	W.t	Material

Remarks :

ITEMS NOT LISTED ARE FOR INTERNAL USE ONLY







Description
TOP LOADING ARM 2"x2"x2" R.H.
C1.4 A2.1 B1.3 +B/V +DRAIN 1/2"

Material
AISI316L+PTFE

Tratt.Term. o Tratt.Superf.

Rev. 1	Weight kg	Drawn by Fabrizio Cannone	Scale 1:20	Date 24/04/2014	Code 18021903DX-01
-----------	-----------	------------------------------	---------------	--------------------	-----------------------



17	NAMEPLATE	2299-0000064	1	0.019	ALUMINIUM
16	ARM POSITION SWITCH EEx ia IIC T6	31930401	1	0.00	CARB.STEEL
15	PARK SWITCH Ex-ia INDUCTIVE SENSOR	31610301	1	2.99	AISI304
14	PARK POSITION LOCK	31950103-902	1	12.46	CARBON STEEL
13	MOUNTING KIT	23053202	1	2.19	AISI304
12	DN100 SS316 BUTTERFLY VALVE PTFE LINED	0472-9008402	1	6.5	AISI316+PTFE LINED
11	C.S. PIPE CLAMPS	3014-1010	6	0.33	AISI316L
10	KIT FOR FLANGE 4" ANSI 150	23050705-T	1	1.66	AISI304+PTFE
9	PILLOW BLOCK	0423-1000030B	1	1.93	STAINLESS STEEL
8	1/2" S.S.316 FLEXIBLE HOSE L=6m	1802-8401001	1	0.30	AISI316L
7	BALL VALVE 1/2" NPT THREADED	31963102	1	0.412	AISI316+PTFE
6	ELBOW M/F 1/2" AISI 316 -NPT THREADED	0159-3000303	1	0.37	ASTM A182 F316L
5	HEXAGONAL NIPPLE 1/2" AISI316	0159-3000203	1	0.093	ASTM A182 F316L
4	COMPRESSION SPRING BALANCE PISTON	2000-180	1	25.360	CARBON STEEL
3	4" PISTON SUPPORT	F879-0000006	1	4.34	AISI304
2	ASSEMBLY KIT - 4" SWIVEL, PTFE SEALS	2310-15T	4	6.60	C.S.+PTFE
1	4" ARM WELD+PAINT LEFTH HAND	18021909S-01A	1	144.25	AISI316L
Pos	Description	Code	Q.tà	W.t	Material

Remarks:

ITEMS NOT LISTED ARE FOR INTERNAL USE ONLY

www.silea.it

silea

Liquid Transfer S.r.l.

Description

TOP LOADING ARM 4"x4"x4" L.H.


C1.4 A2.1 B0.9 +B/V +DRAIN 1/2"

Material


AISI316L+PTFE

Tratt.Term. o Tratt.Superf.

Rev.	Weight kg	Drawn by	Scale	Date	Code
1	231.92	Fabrizio Cannone	1:20	24/04/2014	18021909SX-01



22	PVC REINFORCED SHEATH	0200-1000016C	30000	4.9	PVC+CS
21	FLANGE DN25 PN16/40 THRD G 1/2" FEMALE	0142-2000406A	3	1.3	AISI304L
20	CABLE GLAND	0200-1000016B	3	0.11	BRASS
19	ELECTRICAL CABLE	0453-0005150	25000	0.1	PVC
18	FITTING	0200-1000016D	1	0.07	STAINLESS STEEL
17	CABLE GLAND	0200-1000016A	3	0.07	BRASS
16	PARKING LOCK ON 2" F879 SWIVEL BOTTOM LOAD ANS/VPN	31950300-902	1	5	CARBON STEEL
15	1/2" FLEXIBLE HOSE	1802-8401001L	2	0	S.S.+RUBBER
14	VIBRATING FORK HIGH LEVEL SWITCH Ex-ia EAC CERT.	30210701-901	2	2	AISI316L
13	C.S.+R.V. PIPE CLAMPS	3014-1003	2	0	C.S.
12	LEVEL SWITCH TANK	18025803D-03C	2	1.71	AISI304L
11	C.S. PIPE CLAMPS	3014-1006	31	0.19	C.S.
10	1/2" S.S.316 FLEXIBLE HOSE L=6m	1802-8401001	3	0.30	AISI316L
9	BALL VALVE 1/2" NPT THREADED	31963102	3	0.41	AISI316+PTFE
8	ELBOW M/F SERIE 3000 lb	0159-3000303	1	0.11	AISI316L
7	HEXAGONAL NIPPLE	0159-3000203	3	0.05	AISI316L
6	COMPRESSION SPRING BALANCE PISTON	2000-120	1	31	CARBON STEEL
5	RUSSIAN NAMEPLATE	2299-0000064E	1	0.02	ALUMINIUM
4	3" PISTON SUPPORT	F879-0000005	1	4.60	AISI304
3	PILLOW BLOCK	0423-1000030B	1	1.93	STAINLESS STEEL
2	ASSEMBLY KIT - 3" SWIVEL, PTFE SEALS	2310-13T	5	4.2	PTFE
1	2"x2"x2 1/2" LOADING ARM AISI316L	18025803D-03A	1	79	AISI316L
Pos	Description	Codice	Qty	Wt	Material



Remarks :

ITEMS NOT LISTED ARE FOR INTERNAL USE ONLY

silea
Liquid Transfer S.r.l.

www.silea.it

Description
TOP UN/LOADING ARM 2"x2"x2 1/2" R.H. CSB
C=2.3 A=2.2 B=1.3 + B/V + DRAIN 1/2"

Material
AISI316+PTFE

Tratt.Term. o Tratt.Superf.

Rev.
4




Weight kg
162

Drawn by
Davide Chiavaro

Scale
1:20

Date
01/09/2015

Code
18025803DX-03



21	COMPRESSION SPRING BALANCE PISTON	2000-260	1	40	CARBON STEEL
20	PVC REINFORCED SHEATH	0200-1000016C	10000	1.6	PVC+CS
19	CABLE GLAND	0200-1000016B	1	0.11	BRASS
18	FLANGE DN25 PN16/40 THRD G 1/2" FEMALE	0142-2000406A	1	1.3	AISI304L
17	CABLE GLAND	0200-1000016A	1	0.07	BRASS
16	FITTING	0200-1000016D	1	0.07	STAINLESS STEEL
15	PARKING LOCK ON 3" FB79 SWIVEL BOTTOM LOAD ANSI/PN	31950301-902	1	6.6	CARBON STEEL
14	C.S. PIPE CLAMPS	3014-1007	6	0.26	C.S.
13	C.S. PIPE CLAMPS	3014-1006	6	0.19	C.S.
12	1/2" S.S.316 FLEXIBLE HOSE L=6m	1802-8401001	1	0.30	AISI316L
11	1/2" FLEXIBLE HOSE	1802-8401001E	2	0	AISI316L
10	1" TEE	0159-3000503	1	0.06	AISI316L
9	ELBOW M/F SERIE 3000 lb	0159-3000303	2	0.11	AISI316L
8	HEXAGONAL NIPPLE	0159-3000203	2	0.05	AISI316L
7	BALL VALVE 1/2" NPT THREADED	31963102	2	0.41	AISI316+PTFE
6	ASSEMBLY KIT - 3" SWIVEL, PTFE SEALS	2310-13T	4	4.2	PTFE
5	3"x3"x2 1/2" TOP LOADING ARM AISI316L	18025805S-03A	1	0	AISI304L
4	RUSSIAN NAMEPLATE	2299-0000064E	1	0.02	ALUMINIUM
3	3" PISTON SUPPORT	FB79-0000005	1	4.60	AISI304
2	PILLOW BLOCK	0423-1000030B	1	1.93	STAINLESS STEEL
1	ASSEMBLY KIT - 3" SWIVEL, PTFE SEALS	2310-14T	5	5.1	C.S.+PTFE
Pos	Description	Codice	Q.ty	Wt	Material

Remarks :

ITEMS NOT LISTED ARE FOR INTERNAL USE ONLY

silea
Liquid Transfer S.r.l.

Description
TOP UN/LOADING ARM 3"x3"x2 1/2" L.H. CSB
C=2.3 A=2.2 B=1.6 + B/V + DRAIN 1/2"

Material
AISI316+PTFE

Tratt.Term. o Tratt.Superf.

Rev.
3

Weight kg
243

Drawn by
Davide Chiavaro

Scale
1:21

Date
01/09/2015

Code
18025805SX-03